

# Cash Acme<sup>TM</sup> Thermal Balancing Valve

The Cash Acme™ Thermal Balancing Valve (TBV) is a thermostatic circuit control valve which automatically controls the temperature within a circulating hot water system to ensure a balanced water temperature throughout the system. The TBV features automatic thermal disinfection, an integrated check valve, and a temperature gauge.

### **Approved Applications**

Hot water recirculation systems and thermal disinfection.

#### **Specification Data**

Performance		
Adj. Outlet Temperature Range	100°F-150°F (40°C-65°C)	
Factory Set Temperature	135°F (58°C)	
Max Working Temperature	212°F (100°C)	
Thermal Disenfection Temp. Range	>160°F (70°C)	
Temperature Gauge	32°F-212°F (0°C-100°C)	
Accuracy	±4°F (2°C)	
Max. Working Pressure	145 psi	
Test Pressure	230 psi	

Materials	
Body	Lead-Free <sup>1</sup> DZR Brass
Seals	FKM Rubber
Spring	Stainless Steel
Thermal Element	Wax-based
Check Valve Body	POM
Check Valve Seals	EPDM


 $^{\rm l}$  Lead-free for all models. Surfaces that are in contact with consumable water contain less than 0.25% lead by weight.

## **Certifications & Listings**

NSF/ANSI/CAN 61, NSF/ANSI/CAN 372

Listed by IAPMO R&T

Refer to local plumbing code



Dimensions (inches)							
Size	Connection Style	Part #	A	В	С		
1/2"	Threaded NPT	26050	4.10	3.40	1.40		
3/4"	Threaded NPT	26051	4.00	3.50	1.40		

#### **Flow Curve**

